ROOF REPLACEMENTS: DAVID MORGAN COMMONS, ANCHORAGE HOMES, & OAK TREE VILLAS GRANITE CITY HOUSING AUTHORITY

ARCHITECT / ENGINEER:



Hurst-Rosche, Inc. NO. 5 BANK SQUARE EAST ST. LOUIS, IL PH: 618.398.0890

www.hurst-rosche.com HILLSBORO, IL MARION, IL

> SPRINGFIELD, IL ARNOLD, MO NASHVILLE, TN

CODE REFERENCE:


INTERNATIONAL BUILDING CODE, LATEST EDITION INTERNATIONAL MECHANICAL CODE, LATEST EDITION ILLINOIS PLUMBING CODE, LATEST EDITION ILLINOIS ACCESSIBILITY CODE, LATEST EDITION NATIONAL ELECTRIC CODE, LATEST EDITION

SHEET INDEX:

COVER & SHEET INDEX



DAVID MORGAN COMMONS





OAK TREE VILLAS




2517 Nameoki Rd, Granite City, IL 62040

Phone: 618-876-0975 Fax: 618-876-8992

E-mail: info@granitecityha.org

	ABBREVIATIONS							GENERAL NOTES: (APPLY TO ALL WORK)	
ABV AFF ACC AP ACT ADJT ALT AL AND ARC APT AL AND AL AND ARC	ABOVE ABOVE FINISH FLOOR ACCESS ACCESS PANEL ACOUSTICAL ACOUSTICAL CEILING TILE ADHEASIVE ADJACENT ADJUSTABLE ALTERNATE, ALTERNATIVE ALUMINUM ANCHOR, ANCHORAGE ANCHOR BOLT ARCHITECT (URAL) AREA DRAIN ASPHALT AUTOMATIC BEARING BEARING PLATE BENCH MARK, BEAM BELOW BETWEEN BEVELED BLOCK BLOCKING BOARD BOTH SIDES BOTH WAYS BOTTOM BUILDING BRICK LEDGE CABINET CARPET (ED) CASEMENT CAULKING CEILING CERAMIC TILE CHAMFER CIRCLE CLEAR (ANCE) CLOSURE COLUMN COMBINATION COMBINATION COMPRESS (ED), (ION), (IBLE) CONCRETE CONCRETE CONCRETE MASONRY UNIT CONTRUCTION CONTRACT (OR) CONTRACT (OR) CONTRACT (OR) CONTRACT (OR) CONTRACT (URIC) CONTRACT LIMIT LINE CONTROL JOINT COPPER CONNER GUARD CENTER COUNTERFLASHING COUNTERSINK CUBIC FOOT CUBIC YARD DAMPER DEAD LOAD DEMOUNTABLE DEPRESSED DETAIL DIAGONAL DIAMETER DIMENSION DIVISION DOUBLE DOUBLE HUNG DOWBL(S) DOWNSPOUT	ELEP LEC OFMSSDLNEL SIDENTGXR ORT OGGGGGGG HHHHHHHHHHHHH INDIENT OGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG	EACH FACE ELECTRIC (AL) ELECTRICAL PANELBOARD ELEVATION ELEVATOR ENCLOSE (URE) EQUAL EQUIPMENT ESTIMATE EXHAUST EXISTING EXPANSION JOINT EXPOSED EXTERIOR ELECTRIC WATER COOLER FACE OF CONCRETE FACE OF FINISH FACE OF MASONRY FACE OF STUDS FASTEN, FASTENER FIBERBOARD FIBERGLASS FINISH (ED) FINISHED FLOOR ELEVATION FINISHED FLOOR LINE FIRE EXTINGUISHER FIRE EXTINGUISHER CABINET FIREPLACE FIREPROOF FIRE-RETARDANT FLASHING FLEXIBLE FLOOR (ING) FLOOR DRAIN FLOOR PLATE FLUORESCENT FLUSH JOINT FOOTING FOUNDATION FRAME (D), (ING) FRESH AIR FULL SIZE FURNISHED BY OTHERS FURRED (ING) FUTURE GAGE, GUAGE GALVANIZED GENERAL CONTRACT (OR) GLASS FIBER GRADE, GRADING GRAVEL GROUT GYPSUM BOARD HARDWARE HARDWOOD HEAD JOINT HEADER HEATING HEAVY DUTY HEIGHT HOLLOW METAL HORIZONTAL HOSE BIB HOT WATER HEATER STRUCTURAL TUBE INCH INCH INCH INGN INTERIOR INSIDE FACE INSULATE (D), (ION) INTERIOR	JJF J K LLAMV LL LL LL MMMMMMMMMMMMMMMMMMMMMMMM	JOINT JOINT FILLER JOIST KICKPLATE LABEL LADDER LAMINATE (D) LAVATORY LEFT HAND LENGTH LIGHT LIGHT LIGHT LIGHTWEIGHT LINEAL FEET LINTEL LIVE LOAD LOUVER LOW POINT MALLEABLE IRON MANUFACTURE (ER) MASONRY MASONRY OPENING MAXIMUM MECHANICAL MEDIUM MEMBER MEMBRANE METAL MILLWORK MINIMUM MISCELLANEOUS MOLDING, MOULDING MOUNT (ED), (ING) MOVABLE MULLION NATURAL NOISE REDUCTION COEFFICIENT NOMINAL NOT IN CONTRACT NOT TO SCALE ON CENTER OPENING OPPOSITE OUTSIDE DIAMETER OVERALL OVERHEAD PAINT (ED) PANEL PARALLEL PARKING PARTITION PERFORATE (D) PERIMETER PLASTER PLASTIC LAMINATE PLATE PLATE PLATE PLATE PLATE PLATE PLATE PLATE PLATE PLASTER PLASTIC LAMINATE PLATE PLATE PLATE PLASTER PLASTIC LAMINATE PLATE PLATE PLATE PLAYWOOD POINT PORCELAIN POLYVINYL CHLORIDE POUNDS PER SQUARE FOOT POUNDS PER SQUARE INCH PREFAINISHED PREFORMED PROPERTY LINE	RALE FINANCE SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS	RADIUS RAIL (ING) REFERENCE REFLECT (ED), (IVE), (OR) REIMFORCE (D), (ING) REMOVE RESILIENT RETURN RETURN AIR REVERSE (SIDE) REVISION (S), REVISED RIGHT HAND ROOFING ROOM ROUGH OPENING RUBBER BASE SCHEDULE SEALER SECTION SHEATHING SHEET SHELF, SHELVING SIMILAR SLEEVE SOLID CORE SPECIAL SPECIFICATIONS SQUARE SQUARE FOOT SQUARE YARD STAINED AND VARNISHED STAINLESS STEEL STANDARD STAINCH STAINCH SYMMETRY (ICAL) SYSTEM TELEPHONE TELEVISION THICK (NESS) THRESHOLD TOLERANCE TONGUE AND GROOVE TOP OF STEEL TOP OF SLAB TOP OF FOOTING TYPICAL UNDERCUT UNFINISHED V-JOINT (ED) VAPOR RETARDER VARNISH VENEER VERTICAL VINYL WALL COVERING WAINSCOT WATER CLOSET WATER PROOFING WATER REPELLENT WATER STOP WELDED WIRE FABRIC WIDTH WINDOW WITHOUT WOOD WOOD BASE	1. THE CONTRACTOR SHALL COORDINATE ALL WORK WITH THE PHALLOCATE CONTRACTOR PARKING AND CONSTRUCTION STAGING AS INDICATED BY THE PHA AND NOTIFY RESIDENTS A WINDIAM OF 4H HOURS PRIOR TO CONDUCTING VORK AT COUNTED BUILDINGS. PERBUT ARM DILCONESS OF A EMPROAARY NATURE INCISSARY FOR THE PROCESSION OF VORK SHALL BE SECURED AND PAID FOR BY THE CONTRACTOR. THE CONTRACTOR IS NOT THE SERSON WHERE FOR COSTS THE CONTRACTOR AND STAGE WITHOUT THE CONTRACTOR. CONTRACTOR SHALL TAKE ALL PRECAUTIONS OF A CHARGE WAS AND CONTRACTOR AND STAGE WITHOUT AND STAGE WIT	Hurst-Rosche, Inc. BP3, ROOF REPLACEMENTS, MULTIPLE SITES: NO. 2 BANK SQUARE EVALUTIONS III. BH: 618'398'0890 MANION' II. NASHAITE TI-30-5054 GRANITE CITY HOUSING AUTHORITY GRANITE CITY HOUSING AUTHORITY GRANITE CITY HOUSING AUTHORITY GRANITE CITY HOUSING S2040
DWG	DRAWING					WPT	WORKING POINT	LEGEND OF SYMBOLS BUILDING TYPE BUILDING NUMBER X/000 LEGEND OF SYMBOLS DETAIL REFERENCE INDICATOR DETAIL REFERENCE INDICATOR N.I.C. NOT IN CONTRACT	DATE: 03-11-2024 PROJECT NO: 280-0464 DESIGN: DRAWN: CHECK JLV JSM JLV LEGEND OF SYMBOLS GENERAL NOTES & ABBREVIATIONS G-102



NOTE:

1 ROOF PLAN BLDG TYPE A

NOTE: DIMENSIONS ARE APPROXIMATE. CONFIRM IN FIELD

GENERAL NOTES:

- 1. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AND CONDITIONS AND MAKE MINOR ADJUSTMENTS AS NECESSARY. NOTIFY ARCHITECT OF ANY DISCREPANCIES WHICH MAY AFFECT THE OUTCOME OF THE WORK.
- 2. ALL EXISTING FINISHES DISTURBED DURING CONSTRUCTION SHALL BE RESTORED TO A CONDITION AT LEAST EQUAL IN MATERIAL AND APPEARANCE TO THAT WHICH EXISTED BEFORE CONSTRUCTION BEGAN.
- 3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PAYING ALL PERMIT FEES, PAY ITEM AGREEMENTS, TAP FEES, ETC.
- 4. WHETHER SHOWN OR NOT, CONTRACTOR SHALL PROVIDE ALL COMPONENTS REQUIRED TO A COMPLETE INSTALLATION. THIS APPLIES TO ALL TRADES AND DISCIPLINES.
- 5. UPON COMPLETION OF CONSTRUCTION ACTIVITIES, CONTRACTOR SHALL CLEAN ALL WORK AREAS SO THAT THEY ARE FREE OF ALL CONSTRUCTION DIRT AND DEBRIS.
- 6. PROTECT EXISTING UTILITIES DURING CONSTRUCTION.
 7. EXISTING SITE AND BUILDING WILL BE OCCUPIED
- THROUGHOUT CONSTRUCTION. PROVIDE ACCESS TO ALL USERS AND EMERGENCY VEHICLES/PERSONEL AT ALL TIMES. CONTRACTOR TO USE SPECIAL CAUTION IN THE COURSE OF THE WORK, PROTECTION OF THE RESIDENTS AND GUESTS FROM THE WORK, AND CONTINUAL CLEAN-UP WITH NO DEBRIS OR HAZARDS EXPOSED AT THE COMPLETION OF A WORK DAY. THIS APPLIED TO ALL TRADES AND DISCIPLINES.
- 8. CONTRACTOR'S USE OF ANY SCAFFOLDING, LIFTS, SWING STAGES, ETC. SHALL MEET ALL FEDERAL, STATE, AND LOCAL SAFETY REGULATIONS.

GENERAL ROOFING NOTES:

- 9. REMOVE ALL EXISTING ASPHALT ROOF SHINGLES AND FELT UNDERLAYMENT TO THE EXISTING ROOF SHEATHING. EXISTING PERIMETER ICE AND WATER DAM MEMBRANE SHALL REMAIN IN PLACE WHERE EXISTING.
- 10.CONTRACTOR SHALL REMOVE AND PROPERLY DISPOSE OF ALL EXISTING PERIMETER SHEET METAL DRIP EDGE FLASHING, GUTTERS AND DOWNSPOUTS. INSTALL NEW PREFINISHED ALUMINUM DRIP EDGE, GUTTERS AND DOWNSPOUTS TO MATCH EXISTING. SEE TYPICAL DETAILS ON SHEET A-501.
- 11. INSTALL NEW ARCHITECTURAL SHINGLES OVER SYNTHETIC UNDERLAYMENT AND NEW ICE DAM AT ROOF PERIMETER AND VALLEYS. CONTRACTOR SHALL REMOVE ALL EXISTING AND INSTALL NEW ROOF PENETRATION FLASHINGS AND ALUMINUM VENT CAPS. FIELD VERIFY SIZE, QUANTITY, AND LOCATION. SEE TYPICAL ROOFING DETAILS ON SHEET A-501.
- 12. CONTRACTOR SHALL TAKE NOTE OF ALL EXISTING BUILDING MOUNTED EQUIPMENT, UTILITIES, WIRING, FIXTURES, DEVICES AND ACCESSORIES INCLUDING BUT NOT LIMITED TO ALL, PHONE AND CABLE WIRES, SATELLITE DISHES, AIR CONDITIONING DISCONNECTS, AND ASSOCIATED WIRING AND ACCESSORIES, ETC. AND REMOVE AND REINSTALL AS REQUIRED TO COMPLETE ALL WORK.

KEYED NOTES: (#)

- 1. REMOVE EXISTING AND INSTALL NEW SHINGLE-OVER RIDGE VENT. SEE TYP. DETAIL ON SHT. A-501.
- 2. REMOVE EXISTING AND INSTALL NEW VALLEY/TRANSITION FLASHING. SEE TYP. DETAIL ON SHT. A-501.
- 3. REMOVE EXISTING AND INSTALL NEW PREFINISHED, SEAMLESS ALUMINUM GUTTER AND DOWNSPOUTS INCLUDING ALL ASSOCIATED ELBOW, BRACKETS, ANCHORS AND ACCESSORIES REQUIRED FOR INSTALLATION. SIZE AND PROFILE TO MATCH EXISTING. SEE TYPICAL DETAILS ON SHEET A-501.
- 4. WALL FLASHING PER TYP. DETAIL ON SHT. A-501.

DAVID MORGAN COMMONS BLDG. TYPES (B) (B) (B)

(A) = 4 UNITS: 2 bldgs. (B) = 4 UNITS: 8 bldgs. (C) = 4 UNITS: 1 bldg. (D) = 4 UNITS: 1 bldg.

Hurst-Rosche, Inc.
PROFESSIONAL DESIGN NUMBER: 184-000298

NO. 5 BANK SQUARE
EAST ST. LOUIS, IL.

WWW.hurst-rosche.com
HILLSBORO, IL
SPRINGFIELD, IL

PH: 618.398.0890

SPRINGFIELD, IL MARION, IL NASHVILLE, TN ARNOLD, MO

SIGNATURE xx-xx-2024

DATE
11-30-2024
LICENSE EXPIRES


REPLACEMENTS, MULTIPLE SITES
RGAN COMMONS
SE HOMES
VILLAS
ITY HOLISING ALITHORITY

MK. DATE DESCRIPTION

DATE: 03-11-2024
PROJECT NO: 280-0464
DESIGN: DRAWN: CHECK
JLV JSM JLV

DAVID MORGAN COMMONS ROOFING PLANS

A-101a



GENERAL NOTES:

1. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AND CONDITIONS AND MAKE MINOR ADJUSTMENTS AS NECESSARY. NOTIFY ARCHITECT OF ANY DISCREPANCIES WHICH MAY AFFECT THE OUTCOME OF THE WORK.

GUTTER HELMET

- 2. ALL EXISTING FINISHES DISTURBED DURING CONSTRUCTION SHALL BE RESTORED TO A CONDITION AT LEAST EQUAL IN MATERIAL AND APPEARANCE TO THAT WHICH EXISTED BEFORE CONSTRUCTION BEGAN.
- 3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PAYING ALL PERMIT FEES, PAY ITEM AGREEMENTS, TAP FEES, ETC.
- 4. WHETHER SHOWN OR NOT, CONTRACTOR SHALL PROVIDE ALL COMPONENTS REQUIRED TO A COMPLETE INSTALLATION. THIS APPLIES TO ALL TRADES AND DISCIPLINES.
 5. UPON COMPLETION OF CONSTRUCTION ACTIVITIES,
- CONTRACTOR SHALL CLEAN ALL WORK AREAS SO THAT THEY ARE FREE OF ALL CONSTRUCTION DIRT AND DEBRIS.

 6. PROTECT EXISTING UTILITIES DURING CONSTRUCTION.
- 7. EXISTING SITE AND BUILDING WILL BE OCCUPIED THROUGHOUT CONSTRUCTION. PROVIDE ACCESS TO ALL USERS AND EMERGENCY VEHICLES/PERSONEL AT ALL TIMES. CONTRACTOR TO USE SPECIAL CAUTION IN THE COURSE OF THE WORK, PROTECTION OF THE RESIDENTS AND GUESTS FROM THE WORK, AND CONTINUAL CLEAN-UP WITH NO DEBRIS OR HAZARDS EXPOSED AT THE COMPLETION OF A WORK DAY.
- 8. CONTRACTOR'S USE OF ANY SCAFFOLDING, LIFTS, SWING STAGES, ETC. SHALL MEET ALL FEDERAL, STATE, AND LOCAL SAFETY REGULATIONS.

THIS APPLIED TO ALL TRADES AND DISCIPLINES.

GENERAL ROOFING NOTES:

- 9. REMOVE ALL EXISTING ASPHALT ROOF SHINGLES AND FELT UNDERLAYMENT TO THE EXISTING ROOF SHEATHING. EXISTING PERIMETER ICE AND WATER DAM MEMBRANE SHALL REMAIN IN PLACE WHERE EXISTING.
- 10.CONTRACTOR SHALL REMOVE AND PROPERLY DISPOSE OF ALL EXISTING PERIMETER SHEET METAL DRIP EDGE FLASHING, GUTTERS AND DOWNSPOUTS. INSTALL NEW PREFINISHED ALUMINUM DRIP EDGE, GUTTERS AND DOWNSPOUTS TO MATCH EXISTING. SEE TYPICAL DETAILS ON SHEET A-501.
- 11. INSTALL NEW ARCHITECTURAL SHINGLES OVER SYNTHETIC UNDERLAYMENT AND NEW ICE DAM AT ROOF PERIMETER AND VALLEYS. CONTRACTOR SHALL REMOVE ALL EXISTING AND INSTALL NEW ROOF PENETRATION FLASHINGS AND ALUMINUM VENT CAPS. FIELD VERIFY SIZE, QUANTITY, AND LOCATION. SEE TYPICAL ROOFING DETAILS ON SHEET A-501.
- 12. CONTRACTOR SHALL TAKE NOTE OF ALL EXISTING BUILDING MOUNTED EQUIPMENT, UTILITIES, WIRING, FIXTURES, DEVICES AND ACCESSORIES INCLUDING BUT NOT LIMITED TO ALL, PHONE AND CABLE WIRES, SATELLITE DISHES, AIR CONDITIONING DISCONNECTS, AND ASSOCIATED WIRING AND ACCESSORIES, ETC. AND REMOVE AND REINSTALL AS REQUIRED TO COMPLETE ALL WORK.

KEYED NOTES: (#)


1 ROOF PLAN BLDG TYPE B
A-101B SCALE: 1/4"=1'0"

- 1. REMOVE EXISTING AND INSTALL NEW SHINGLE-OVER RIDGE VENT. SEE TYP. DETAIL ON SHT. A-501.
- 2. REMOVE EXISTING AND INSTALL NEW VALLEY/TRANSITION FLASHING. SEE TYP. DETAIL ON SHT. A-501.

GUTTER W/ GUTTER HELMET

- 3. REMOVE EXISTING AND INSTALL NEW PREFINISHED, SEAMLESS ALUMINUM GUTTER AND DOWNSPOUTS INCLUDING ALL ASSOCIATED ELBOW, BRACKETS, ANCHORS AND ACCESSORIES REQUIRED FOR INSTALLATION. SIZE AND PROFILE TO MATCH EXISTING. SEE TYPICAL DETAILS ON SHEET A-501.
- 4. WALL FLASHING PER TYP. DETAIL ON SHT. A-501.

DAVID MORGAN COMMONS BLDG. TYPES



(A) = 4 UNITS: 2 bldgs. (B) = 4 UNITS: 8 bldgs. (C) = 4 UNITS: 1 bldg. (D) = 4 UNITS: 1 bldg.

Hurst-Rosche, Inc.
PROFESSIONAL DESIGN NUMBER: 184-000298

NO. 5 BANK SQUARE
EAST ST. LOUIS, IL.
PH: 618.398.0890

HILLSBORO, IL SPRINGFIELD, IL MARION, IL NASHVILLE, TN ARNOLD, MO

www.hurst-rosche.com

SIGNATURE xx-xx-2024 DATE

DATE 11-30-2024 LICENSE EXPIRES


ORGAN COMMONS
AGE HOMES
E VILLAS
CITY HOUSING AUTHORITY

MK. DATE DESCRIPTION

DATE: 03-11-2024
PROJECT NO: 280-0464
DESIGN: DRAWN: CHECK: JLV JSM JLV

DAVID MORGAN COMMONS ROOFING PLANS

A-101b



1 ROOF PLAN BLDG TYPE C
A-101C SCALE: 1/4"=1'0"

NOTE: DIMENSIONS ARE APPROXIMATE. CONFIRM IN FIELD

GENERAL NOTES:


- 1. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AND CONDITIONS AND MAKE MINOR ADJUSTMENTS AS NECESSARY. NOTIFY ARCHITECT OF ANY DISCREPANCIES WHICH MAY AFFECT THE OUTCOME OF THE WORK.
- 2. ALL EXISTING FINISHES DISTURBED DURING CONSTRUCTION SHALL BE RESTORED TO A CONDITION AT LEAST EQUAL IN MATERIAL AND APPEARANCE TO THAT WHICH EXISTED BEFORE CONSTRUCTION BEGAN.
- 3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PAYING ALL PERMIT FEES, PAY ITEM AGREEMENTS, TAP FEES, ETC.
- 4. WHETHER SHOWN OR NOT, CONTRACTOR SHALL PROVIDE ALL COMPONENTS REQUIRED TO A COMPLETE INSTALLATION. THIS APPLIES TO ALL TRADES AND DISCIPLINES.
- 5. UPON COMPLETION OF CONSTRUCTION ACTIVITIES, CONTRACTOR SHALL CLEAN ALL WORK AREAS SO THAT THEY ARE FREE OF ALL CONSTRUCTION DIRT AND DEBRIS.
- 6. PROTECT EXISTING UTILITIES DURING CONSTRUCTION. 7. EXISTING SITE AND BUILDING WILL BE OCCUPIED
- THROUGHOUT CONSTRUCTION. PROVIDE ACCESS TO ALL USERS AND EMERGENCY VEHICLES/PERSONEL AT ALL TIMES. CONTRACTOR TO USE SPECIAL CAUTION IN THE COURSE OF THE WORK, PROTECTION OF THE RESIDENTS AND GUESTS FROM THE WORK, AND CONTINUAL CLEAN-UP WITH NO DEBRIS OR HAZARDS EXPOSED AT THE COMPLETION OF A WORK DAY. THIS APPLIED TO ALL TRADES AND DISCIPLINES.
- 8. CONTRACTOR'S USE OF ANY SCAFFOLDING, LIFTS, SWING STAGES, ETC. SHALL MEET ALL FEDERAL, STATE, AND LOCAL SAFETY REGULATIONS.

GENERAL ROOFING NOTES:

- 9. REMOVE ALL EXISTING ASPHALT ROOF SHINGLES AND FELT UNDERLAYMENT TO THE EXISTING ROOF SHEATHING. EXISTING PERIMETER ICE AND WATER DAM MEMBRANE SHALL REMAIN IN PLACE WHERE EXISTING
- 10.CONTRACTOR SHALL REMOVE AND PROPERLY DISPOSE OF ALL EXISTING PERIMETER SHEET METAL DRIP EDGE FLASHING, GUTTERS AND DOWNSPOUTS. INSTALL NEW PREFINISHED ALUMINUM DRIP EDGE, GUTTERS AND DOWNSPOUTS TO MATCH EXISTING. SEE TYPICAL DETAILS ON SHEET A-501
- 11. INSTALL NEW ARCHITECTURAL SHINGLES OVER SYNTHETIC UNDERLAYMENT AND NEW ICE DAM AT ROOF PERIMETER AND VALLEYS. CONTRACTOR SHALL REMOVE ALL EXISTING AND INSTALL NEW ROOF PENETRATION FLASHINGS AND ALUMINUM VENT CAPS. FIELD VERIFY SIZE, QUANTITY, AND LOCATION. SEE TYPICAL ROOFING DETAILS ON SHEET A-501.
- 12. CONTRACTOR SHALL TAKE NOTE OF ALL EXISTING BUILDING MOUNTED EQUIPMENT, UTILITIES, WIRING, FIXTURES, DEVICES AND ACCESSORIES INCLUDING BUT NOT LIMITED TO ALL, PHONE AND CABLE WIRES, SATELLITE DISHES, AIR CONDITIONING DISCONNECTS, AND ASSOCIATED WIRING AND ACCESSORIES, ETC. AND REMOVE AND REINSTALL AS REQUIRED TO COMPLETE ALL WORK.

KEYED NOTES: (#)

- 1. REMOVE EXISTING AND INSTALL NEW SHINGLE-OVER RIDGE VENT. SEE TYP. DETAIL ON SHT. A-501.
- 2. REMOVE EXISTING AND INSTALL NEW VALLEY/TRANSITION FLASHING. SEE TYP. DETAIL ON SHT. A-501.
- 3. REMOVE EXISTING AND INSTALL NEW PREFINISHED, SEAMLESS ALUMINUM GUTTER AND DOWNSPOUTS INCLUDING ALL ASSOCIATED ELBOW, BRACKETS, ANCHORS AND ACCESSORIES REQUIRED FOR INSTALLATION. SIZE AND PROFILE TO MATCH EXISTING. SEE TYPICAL DETAILS ON SHEET A-501.
- 4. WALL FLASHING PER TYP. DETAIL ON SHT. A-501.



(A) = 4 UNITS: 2 bldgs. (B) = 4 UNITS: 8 bldgs. (C) = 4 UNITS: 1 bldg. (D) = 4 UNITS: 1 bldg.

Hurst-Rosche, Inc. NO. 5 BANK SQUARE EAST ST. LOUIS, IL.

www.hurst-rosche.com

PH: 618.398.0890

HILLSBORO, IL SPRINGFIELD, IL MARION, IL NASHVILLE, TN ARNOLD, MO

SIGNATURE xx-xx-2024

11-30-2024 LICENSE EXPIRES

ORIT


B C F C D MK. DATE DESCRIPTION

DATE: 03-11-2024

DESIGN: | DRAWN: | CHECK JSM JLV

PROJECT NO: 280-0464

DAVID MORGAN COMMONS **ROOFING PLANS**



GENERAL NOTES:

- 1. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AND CONDITIONS AND MAKE MINOR ADJUSTMENTS AS NECESSARY. NOTIFY ARCHITECT OF ANY DISCREPANCIES WHICH MAY AFFECT THE OUTCOME OF THE WORK.
- 2. ALL EXISTING FINISHES DISTURBED DURING CONSTRUCTION SHALL BE RESTORED TO A CONDITION AT LEAST EQUAL IN MATERIAL AND APPEARANCE TO THAT WHICH EXISTED BEFORE CONSTRUCTION BEGAN.
- 3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PAYING ALL PERMIT FEES, PAY ITEM AGREEMENTS, TAP FEES, ETC.
- 4. WHETHER SHOWN OR NOT, CONTRACTOR SHALL PROVIDE ALL COMPONENTS REQUIRED TO A COMPLETE INSTALLATION. THIS APPLIES TO ALL TRADES AND DISCIPLINES.
- 5. UPON COMPLETION OF CONSTRUCTION ACTIVITIES, CONTRACTOR SHALL CLEAN ALL WORK AREAS SO THAT THEY ARE FREE OF ALL CONSTRUCTION DIRT AND DEBRIS.
- 6. PROTECT EXISTING UTILITIES DURING CONSTRUCTION. 7. EXISTING SITE AND BUILDING WILL BE OCCUPIED THROUGHOUT CONSTRUCTION. PROVIDE ACCESS TO ALL USERS AND EMERGENCY VEHICLES/PERSONEL AT ALL TIMES. CONTRACTOR TO USE SPECIAL CAUTION IN THE COURSE OF THE WORK, PROTECTION OF THE RESIDENTS AND GUESTS FROM THE WORK, AND CONTINUAL CLEAN-UP WITH NO DEBRIS OR HAZARDS EXPOSED AT THE COMPLETION OF A WORK DAY.
- 8. CONTRACTOR'S USE OF ANY SCAFFOLDING, LIFTS, SWING STAGES, ETC. SHALL MEET ALL FEDERAL, STATE, AND LOCAL SAFETY REGULATIONS.

THIS APPLIED TO ALL TRADES AND DISCIPLINES.

GENERAL ROOFING NOTES:

- 9. REMOVE ALL EXISTING ASPHALT ROOF SHINGLES AND FELT UNDERLAYMENT TO THE EXISTING ROOF SHEATHING. EXISTING PERIMETER ICE AND WATER DAM MEMBRANE SHALL REMAIN IN PLACE WHERE EXISTING
- 10.CONTRACTOR SHALL REMOVE AND PROPERLY DISPOSE OF ALL EXISTING PERIMETER SHEET METAL DRIP EDGE FLASHING, GUTTERS AND DOWNSPOUTS. INSTALL NEW PREFINISHED ALUMINUM DRIP EDGE, GUTTERS AND DOWNSPOUTS TO MATCH EXISTING. SEE TYPICAL DETAILS ON SHEET A-501
- 11. INSTALL NEW ARCHITECTURAL SHINGLES OVER SYNTHETIC UNDERLAYMENT AND NEW ICE DAM AT ROOF PERIMETER AND VALLEYS. CONTRACTOR SHALL REMOVE ALL EXISTING AND INSTALL NEW ROOF PENETRATION FLASHINGS AND ALUMINUM VENT CAPS. FIELD VERIFY SIZE, QUANTITY, AND LOCATION. SEE TYPICAL ROOFING DETAILS ON SHEET A-501.
- 12. CONTRACTOR SHALL TAKE NOTE OF ALL EXISTING BUILDING MOUNTED EQUIPMENT, UTILITIES, WIRING, FIXTURES, DEVICES AND ACCESSORIES INCLUDING BUT NOT LIMITED TO ALL, PHONE AND CABLE WIRES, SATELLITE DISHES, AIR CONDITIONING DISCONNECTS, AND ASSOCIATED WIRING AND ACCESSORIES, ETC. AND REMOVE AND REINSTALL AS REQUIRED TO COMPLETE ALL WORK.

- 1. REMOVE EXISTING AND INSTALL NEW SHINGLE-OVER RIDGE VENT. SEE TYP. DETAIL ON SHT. A-501.
- SEAMLESS ALUMINUM GUTTER AND DOWNSPOUTS INCLUDING ALL ASSOCIATED ELBOW, BRACKETS, ANCHORS AND ACCESSORIES REQUIRED FOR SEE TYPICAL DETAILS ON SHEET A-501.
- 4. WALL FLASHING PER TYP. DETAIL ON SHT. A-501.



Hurst-Rosche, Inc.

SIGNATURE xx-xx-2024

11-30-2024 LICENSE EXPIRES

S AUTHORIT 62040

BP; DA AN OA GR GR MK. DATE DESCRIPTION

DATE: 03-11-2024 PROJECT NO: 280-0464 DESIGN: DRAWN: CHECK JLV


DAVID MORGAN COMMONS ROOFING PLAN

(A) = 4 UNITS: 2 bldgs. (B) = 4 UNITS: 8 bldgs.

(C) = 4 UNITS: 1 bldg. (D) = 4 UNITS: 1 bldg.

KEYED NOTES: (#)

- 2. REMOVE EXISTING AND INSTALL NEW VALLEY/TRANSITION FLASHING. SEE TYP. DETAIL ON SHT. A-501.
- 3. REMOVE EXISTING AND INSTALL NEW PREFINISHED, INSTALLATION. SIZE AND PROFILE TO MATCH EXISTING.



1 ROOF PLAN FOUR UNIT D-1, D-2, D-3, D-4 SCALE: 1/4"=1'0"

GENERAL NOTES:

- 1. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AND CONDITIONS AND MAKE MINOR ADJUSTMENTS AS NECESSARY. NOTIFY ARCHITECT OF ANY DISCREPANCIES WHICH MAY AFFECT THE OUTCOME OF THE WORK.
- 2. ALL EXISTING FINISHES DISTURBED DURING CONSTRUCTION SHALL BE RESTORED TO A CONDITION AT LEAST EQUAL IN MATERIAL AND APPEARANCE TO THAT WHICH EXISTED BEFORE CONSTRUCTION BEGAN.
- 3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PAYING ALL PERMIT FEES, PAY ITEM AGREEMENTS, TAP FEES, ETC.
- 4. WHETHER SHOWN OR NOT, CONTRACTOR SHALL PROVIDE ALL COMPONENTS REQUIRED TO A COMPLETE INSTALLATION. THIS APPLIES TO ALL TRADES AND DISCIPLINES.
- 5. UPON COMPLETION OF CONSTRUCTION ACTIVITIES, CONTRACTOR SHALL CLEAN ALL WORK AREAS SO THAT THEY ARE FREE OF ALL CONSTRUCTION DIRT AND DEBRIS.
- 6. PROTECT EXISTING UTILITIES DURING CONSTRUCTION.

 7. EXISTING SITE AND BUILDING WILL BE OCCUPIED.
- 7. EXISTING SITE AND BUILDING WILL BE OCCUPIED THROUGHOUT CONSTRUCTION. PROVIDE ACCESS TO ALL USERS AND EMERGENCY VEHICLES/PERSONEL AT ALL TIMES. CONTRACTOR TO USE SPECIAL CAUTION IN THE COURSE OF THE WORK, PROTECTION OF THE RESIDENTS AND GUESTS FROM THE WORK, AND CONTINUAL CLEAN-UP WITH NO DEBRIS OR HAZARDS EXPOSED AT THE COMPLETION OF A WORK DAY. THIS APPLIED TO ALL TRADES AND DISCIPLINES.
- 8. CONTRACTOR'S USE OF ANY SCAFFOLDING, LIFTS, SWING STAGES, ETC. SHALL MEET ALL FEDERAL, STATE, AND LOCAL SAFETY REGULATIONS.

GENERAL ROOFING NOTES:

- 9. REMOVE ALL EXISTING ASPHALT ROOF SHINGLES AND FELT UNDERLAYMENT TO THE EXISTING ROOF SHEATHING. EXISTING PERIMETER ICE AND WATER DAM MEMBRANE SHALL REMAIN IN PLACE WHERE EXISTING.
- 10.CONTRACTOR SHALL REMOVE AND PROPERLY DISPOSE OF ALL EXISTING PERIMETER SHEET METAL DRIP EDGE FLASHING, GUTTERS AND DOWNSPOUTS. INSTALL NEW PREFINISHED ALUMINUM DRIP EDGE, GUTTERS AND DOWNSPOUTS TO MATCH EXISTING. SEE TYPICAL DETAILS ON SHEET A-501.
- 11. INSTALL NEW ARCHITECTURAL SHINGLES OVER SYNTHETIC UNDERLAYMENT AND NEW ICE DAM AT ROOF PERIMETER AND VALLEYS. CONTRACTOR SHALL REMOVE ALL EXISTING AND INSTALL NEW ROOF PENETRATION FLASHINGS AND ALUMINUM VENT CAPS. FIELD VERIFY SIZE, QUANTITY, AND LOCATION. SEE TYPICAL ROOFING DETAILS ON SHEET A-501.
- 12. CONTRACTOR SHALL TAKE NOTE OF ALL EXISTING BUILDING MOUNTED EQUIPMENT, UTILITIES, WIRING, FIXTURES, DEVICES AND ACCESSORIES INCLUDING BUT NOT LIMITED TO ALL, PHONE AND CABLE WIRES, SATELLITE DISHES, AIR CONDITIONING DISCONNECTS, AND ASSOCIATED WIRING AND ACCESSORIES, ETC. AND REMOVE AND REINSTALL AS REQUIRED TO COMPLETE ALL WORK.

KEYED NOTES:

- #>
- 1. REMOVE EXISTING AND INSTALL NEW SHINGLE-OVER RIDGE VENT. SEE TYP. DETAIL ON SHT. A-501.
- 2. REMOVE EXISTING AND INSTALL NEW VALLEY/TRANSITION FLASHING. SEE TYP. DETAIL ON SHT. A-501.
- 3. REMOVE EXISTING AND INSTALL NEW PREFINISHED, SEAMLESS ALUMINUM GUTTER AND DOWNSPOUTS INCLUDING ALL ASSOCIATED ELBOW, BRACKETS, ANCHORS AND ACCESSORIES REQUIRED FOR INSTALLATION. SIZE AND PROFILE TO MATCH EXISTING. SEE TYPICAL DETAILS ON SHEET A-501.
- 4. WALL FLASHING PER TYP. DETAIL ON SHT. A-501.

ANCHORAGE HOMES BLDG. TYPES



(4) = 4 UNITS: 4 bldgs.

(6) = 6 UNITS: 4 bldgs.

Hurst-Rosche, Inc.
PROFESSIONAL DESIGN NUMBER: 184-000298

NO. 5 BANK SQUARE

PH: 618.398.0890 www.hurst-rosche.com

EAST ST. LOUIS, IL.

HILLSBORO, IL SPRINGFIELD, IL MARION, IL NASHVILLE, TN ARNOLD, MO

SIGNATURE xx-xx-2024

DATE 11-30-2024 LICENSE EXPIRES

FPLACEMENTS, MULTIPLE SITE:
AN COMMONS
HOMES
LAS
/ HOUSING AUTHORITY
/, ILLINOIS 62040

MK. DATE DESCRIPTION

WIK. BATE BEGORII HOI


DATE: 03-11-2024

PROJECT NO: 280-0464

DESIGN: DRAWN: CHECK
JLV JSM JLV

ANCHORAGE HOMES
4-UNIT ROOFING PLAN

A-102a



GENERAL NOTES:

- 1. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AND CONDITIONS AND MAKE MINOR ADJUSTMENTS AS NECESSARY. NOTIFY ARCHITECT OF ANY DISCREPANCIES WHICH MAY AFFECT THE OUTCOME OF THE WORK.
- 2. ALL EXISTING FINISHES DISTURBED DURING CONSTRUCTION SHALL BE RESTORED TO A CONDITION AT LEAST EQUAL IN MATERIAL AND APPEARANCE TO THAT WHICH EXISTED BEFORE CONSTRUCTION BEGAN.
- 3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PAYING ALL
- PERMIT FEES, PAY ITEM AGREEMENTS, TAP FEES, ETC.

 4. WHETHER SHOWN OR NOT, CONTRACTOR SHALL PROVIDE ALL COMPONENTS REQUIRED TO A COMPLETE INSTALLATION.
 THIS APPLIES TO ALL TRADES AND DISCIPLINES.
- 5. UPON COMPLETION OF CONSTRUCTION ACTIVITIES, CONTRACTOR SHALL CLEAN ALL WORK AREAS SO THAT THEY ARE FREE OF ALL CONSTRUCTION DIRT AND DEBRIS.
- 6. PROTECT EXISTING UTILITIES DURING CONSTRUCTION.

 7. EXISTING SITE AND BUILDING WILL BE OCCUPIED.
- 7. EXISTING SITE AND BUILDING WILL BE OCCUPIED THROUGHOUT CONSTRUCTION. PROVIDE ACCESS TO ALL USERS AND EMERGENCY VEHICLES/PERSONEL AT ALL TIMES. CONTRACTOR TO USE SPECIAL CAUTION IN THE COURSE OF THE WORK, PROTECTION OF THE RESIDENTS AND GUESTS FROM THE WORK, AND CONTINUAL CLEAN-UP WITH NO DEBRIS OR HAZARDS EXPOSED AT THE COMPLETION OF A WORK DAY. THIS APPLIED TO ALL TRADES AND DISCIPLINES.
- 8. CONTRACTOR'S USE OF ANY SCAFFOLDING, LIFTS, SWING STAGES, ETC. SHALL MEET ALL FEDERAL, STATE, AND LOCAL SAFETY REGULATIONS.

GENERAL ROOFING NOTES:


- 9. REMOVE ALL EXISTING ASPHALT ROOF SHINGLES AND FELT UNDERLAYMENT TO THE EXISTING ROOF SHEATHING. EXISTING PERIMETER ICE AND WATER DAM MEMBRANE SHALL REMAIN IN PLACE WHERE EXISTING.
- 10.CONTRACTOR SHALL REMOVE AND PROPERLY DISPOSE OF ALL EXISTING PERIMETER SHEET METAL DRIP EDGE FLASHING, GUTTERS AND DOWNSPOUTS. INSTALL NEW PREFINISHED ALUMINUM DRIP EDGE, GUTTERS AND DOWNSPOUTS TO MATCH EXISTING. SEE TYPICAL DETAILS ON SHEET A-501.
- 11. INSTALL NEW ARCHITECTURAL SHINGLES OVER SYNTHETIC UNDERLAYMENT AND NEW ICE DAM AT ROOF PERIMETER AND VALLEYS. CONTRACTOR SHALL REMOVE ALL EXISTING AND INSTALL NEW ROOF PENETRATION FLASHINGS AND ALUMINUM VENT CAPS. FIELD VERIFY SIZE, QUANTITY, AND LOCATION. SEE TYPICAL ROOFING DETAILS ON SHEET A-501.
- 12. CONTRACTOR SHALL TAKE NOTE OF ALL EXISTING BUILDING MOUNTED EQUIPMENT, UTILITIES, WIRING, FIXTURES, DEVICES AND ACCESSORIES INCLUDING BUT NOT LIMITED TO ALL, PHONE AND CABLE WIRES, SATELLITE DISHES, AIR CONDITIONING DISCONNECTS, AND ASSOCIATED WIRING AND ACCESSORIES, ETC. AND REMOVE AND REINSTALL AS REQUIRED TO COMPLETE ALL WORK.

KEYED NOTES:



- 1. REMOVE EXISTING AND INSTALL NEW SHINGLE-OVER RIDGE VENT. SEE TYP. DETAIL ON SHT. A-501.
- 2. REMOVE EXISTING AND INSTALL NEW VALLEY/TRANSITION FLASHING. SEE TYP. DETAIL ON SHT. A-501.
- 3. REMOVE EXISTING AND INSTALL NEW PREFINISHED, SEAMLESS ALUMINUM GUTTER AND DOWNSPOUTS INCLUDING ALL ASSOCIATED ELBOW, BRACKETS, ANCHORS AND ACCESSORIES REQUIRED FOR INSTALLATION. SIZE AND PROFILE TO MATCH EXISTING. SEE TYPICAL DETAILS ON SHEET A-501.
- 4. WALL FLASHING PER TYP. DETAIL ON SHT. A-501.

ANCHORAGE HOMES BLDG. TYPES



(4) = 4 UNITS: 4 bldgs.

(6) = 6 UNITS: 4 bldgs.



www.hurst-rosche.com

PH: 618.398.0890

HILLSBORO, IL SPRINGFIELD, IL MARION, IL NASHVILLE, TN ARNOLD, MO

SIGNATURE xx-xx-2024 DATE

DATE
11-30-2024
LICENSE EXPIRES


OOF REPLACEMENTS, MULTIPLE SI MORGAN COMMONS SRAGE HOMES REE VILLAS TE CITY HOUSING AUTHORITY

MK. DATE DESCRIPTION

DATE: 03-11-2024
PROJECT NO: 280-0464
DESIGN: DRAWN: CHECK
JLV JSM JLV

ANCHORAGE HOMES 6-UNIT ROOFING PLAN

A-102b



(4) = 4 UNITS: 12 bldgs.

6. PROTECT EXISTING UTILITIES DURING CONSTRUCTION.

THROUGHOUT CONSTRUCTION. PROVIDE ACCESS TO ALL

USERS AND EMERGENCY VEHICLES/PERSONEL AT ALL TIMES.

CONTRACTOR TO USE SPECIAL CAUTION IN THE COURSE OF

THE WORK, PROTECTION OF THE RESIDENTS AND GUESTS FROM THE WORK, AND CONTINUAL CLEAN-UP WITH NO DEBRIS OR HAZARDS EXPOSED AT THE COMPLETION OF A WORK DAY.

8. CONTRACTOR'S USE OF ANY SCAFFOLDING, LIFTS, SWING

STAGES, ETC. SHALL MEET ALL FEDERAL, STATE, AND LOCAL

7. EXISTING SITE AND BUILDING WILL BE OCCUPIED

THIS APPLIED TO ALL TRADES AND DISCIPLINES.

SAFETY REGULATIONS.

ACCESSORIES INCLUDING BUT NOT LIMITED TO ALL, PHONE AND

DISCONNECTS, AND ASSOCIATED WIRING AND ACCESSORIES, ETC.

AND REMOVE AND REINSTALL AS REQUIRED TO COMPLETE ALL

CABLE WIRES, SATELLITE DISHES, AIR CONDITIONING

WORK.

ROOFING PLANS

JLV


© 2024 HURST-ROSCHE, INC.

DESIGN: DRAWN: CHECK

OAK TREE VILLAS

(CC) = COMMUNITY CENTER

JSM



- 1. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AND CONDITIONS AND MAKE MINOR ADJUSTMENTS AS NECESSARY. NOTIFY ARCHITECT OF ANY DISCREPANCIES WHICH MAY AFFECT THE OUTCOME OF THE WORK.
- 2. ALL EXISTING FINISHES DISTURBED DURING CONSTRUCTION SHALL BE RESTORED TO A CONDITION AT LEAST EQUAL IN MATERIAL AND APPEARANCE TO THAT WHICH EXISTED BEFORE CONSTRUCTION BEGAN.
- 3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PAYING ALL PERMIT FEES, PAY ITEM AGREEMENTS, TAP FEES, ETC.
- 4. WHETHER SHOWN OR NOT, CONTRACTOR SHALL PROVIDE ALL COMPONENTS REQUIRED TO A COMPLETE INSTALLATION. THIS APPLIES TO ALL TRADES AND DISCIPLINES.
- 5. UPON COMPLETION OF CONSTRUCTION ACTIVITIES CONTRACTOR SHALL CLEAN ALL WORK AREAS SO THAT THEY ARE FREE OF ALL CONSTRUCTION DIRT AND DEBRIS
- 6. PROTECT EXISTING UTILITIES DURING CONSTRUCTION. 7. EXISTING SITE AND BUILDING WILL BE OCCUPIED THROUGHOUT CONSTRUCTION. PROVIDE ACCESS TO ALL USERS AND EMERGENCY VEHICLES/PERSONEL AT ALL TIMES. CONTRACTOR TO USE SPECIAL CAUTION IN THE COURSE OF THE WORK, PROTECTION OF THE RESIDENTS AND GUESTS FROM THE WORK, AND CONTINUAL CLEAN-UP WITH NO DEBRIS OR HAZARDS EXPOSED AT THE COMPLETION OF A WORK DAY.
- 8. CONTRACTOR'S USE OF ANY SCAFFOLDING, LIFTS, SWING STAGES, ETC. SHALL MEET ALL FEDERAL, STATE, AND LOCAL SAFETY REGULATIONS.

THIS APPLIED TO ALL TRADES AND DISCIPLINES.


GENERAL ROOFING NOTES:

- 9. REMOVE ALL EXISTING ASPHALT ROOF SHINGLES AND FELT UNDERLAYMENT TO THE EXISTING ROOF SHEATHING. EXISTING PERIMETER ICE AND WATER DAM MEMBRANE SHALL REMAIN IN PLACE WHERE EXISTING.
- 10.CONTRACTOR SHALL REMOVE AND PROPERLY DISPOSE OF ALL EXISTING PERIMETER SHEET METAL DRIP EDGE FLASHING GUTTERS AND DOWNSPOUTS. INSTALL NEW PREFINISHED ALUMINUM DRIP EDGE, GUTTERS AND DOWNSPOUTS TO MATCH EXISTING. SEE TYPICAL DETAILS ON SHEET A-501.
- 11. INSTALL NEW ARCHITECTURAL SHINGLES OVER SYNTHETIC UNDERLAYMENT AND NEW ICE DAM AT ROOF PERIMETER AND VALLEYS. CONTRACTOR SHALL REMOVE ALL EXISTING AND INSTALL NEW ROOF PENETRATION FLASHINGS AND ALUMINUM VENT CAPS. FIELD VERIFY SIZE, QUANTITY, AND LOCATION. SEE TYPICAL **ROOFING DETAILS ON SHEET A-501**
- 12. CONTRACTOR SHALL TAKE NOTE OF ALL EXISTING BUILDING MOUNTED EQUIPMENT, UTILITIES, WIRING, FIXTURES, DEVICES AND ACCESSORIES INCLUDING BUT NOT LIMITED TO ALL, PHONE AND CABLE WIRES, SATELLITE DISHES, AIR CONDITIONING DISCONNECTS, AND ASSOCIATED WIRING AND ACCESSORIES, ETC. AND REMOVE AND REINSTALL AS REQUIRED TO COMPLETE ALL WORK.

KEYED NOTES:

- 1. REMOVE EXISTING AND INSTALL NEW SHINGLE-OVER RIDGE VENT. SEE TYP. DETAIL ON SHT. A-501.
- 2. REMOVE EXISTING AND INSTALL NEW VALLEY/TRANSITION FLASHING. SEE TYP. DETAIL ON SHT. A-501.
- 3. REMOVE EXISTING AND INSTALL NEW PREFINISHED, SEAMLESS ALUMINUM GUTTER AND DOWNSPOUTS INCLUDING ALL ASSOCIATED ELBOW, BRACKETS, ANCHORS AND ACCESSORIES REQUIRED FOR INSTALLATION. SIZE AND PROFILE TO MATCH EXISTING. SEE TYPICAL DETAILS ON SHEET A-501.
- 4. WALL FLASHING PER TYP. DETAIL ON SHT. A-501.

OAK TREE VILLAS BLDG. TYPES



(4) = 4 UNITS: 12 bldgs.

(CC) = COMMUNITY CENTER

Hurst-Rosche, Inc. PROFESSIONAL DESIGN NUMBER: 184-000298

www.hurst-rosche.com

NO. 5 BANK SQUARE EAST ST. LOUIS, IL. PH: 618.398.0890

HILLSBORO, IL SPRINGFIELD, IL MARION, IL NASHVILLE, TN ARNOLD, MO

SIGNATURE xx-xx-2024


11-30-2024 LICENSE EXPIRES

S AUTHORIT 62040

MK. DATE DESCRIPTION

DATE: 03-11-2024 PROJECT NO: 280-0464 DESIGN: DRAWN: CHECK JSM JLV JLV

OAK TREE VILLAS **ROOFING PLANS**



Hurst-Rosche, Inc. PROFESSIONAL DESIGN NUMBER: 184-000298 NO. 5 BANK SQUARE EAST ST. LOUIS, IL.

PH: 618.398.0890 www.hurst-rosche.com

HILLSBORO, IL SPRINGFIELD, IL MARION, IL NASHVILLE, TN ARNOLD, MO

SIGNATURE

xx-xx-2024

11-30-2024 LICENSE EXPIRES

BP3, ROOF REPLACEMENTS, MULTIPL
DAVID MORGAN COMMONS
ANCHORAGE HOMES
OAK TREE VILLAS
GRANITE CITY HOUSING AUTHORITY
GRANITE CITY, ILLINOIS 62040

MK. DATE DESCRIPTION

DATE: 03-11-2024 PROJECT NO: 280-0464

DESIGN: DRAWN: CHECK: JLV JSM JLV

MISC. ROOFING DETAILS